







# TOP FENCE CO. LTD

ADDRESS : POSTCODE 053600 A-001 HUAFU INDUSTRY ZONE RAOYANG COUNTY HENGSHUI CITY HEBEI CHINA

PHONE NUMBER :86-18631889222

EMAIL :BOB@WIREMESHFENCE.COM

WEBSITE :WWW.WIREMESHFENCE.COM

MANUFACTUER :TOP FENCE CO.LTD  ADD:A-001 HUAFU INDUSTIES ZONE RAOYAO COUNTY HENGSHUI HEBEI FAX :86-318-7592336 PHONE :0086-18631889222		<b>QUOTATION SHEET</b>	
		NO. TOPFENCE20180808	DATE: 2018.8.8
ITEM NAME		AS4687-2007 TEMPORARY FENCING	
			
<b>WHY US</b>			
<b>TEMPORARY FENCING PANEL WE MADE AND DESIGNED MEET AS4687-2007 STANDARD AND PRIMER STANDARD MEET AS/NZS 3750.15 2100MMX2400MM TEMP FENCE PANELS HUGE OPTIONAL</b>	<b>TEMPORARY FENCE BASE WE ARE PROUND OF AS ONLY ONE MANUFACTUERIN CHINA OWNED ALL BLOW BASE MODE IN MARKET BEST QUALITY BASE AVAILABLE 5 YEAR NO COLOR FADING</b>	<b>BLOW MOLDING BASE MANUFACTURER THERE ARE LOTS OF TEMPORARY FENCING PANELS MANUFACTUER BUT WE ARE NOT ONLY A FENCE PANEL MANUFACTUER BUT ALSO A BASE MANUFACTUER</b>	<b>LARGET TEMPORARY FENCING MANUFACTURER WE ARE ONE OF LARGEST FACTORY WELCOME TO CONTACT US 86-18631889222 ABOVE PHOTO ARE OUR REAL PHOTO WELCOME TO VISIT US WE WILL PICK YOU UP</b>



# TOP FENCE CO. LTD

ADDRESS : POSTCODE 053600 A-001 HUAFU INDUSTRY ZONE RAOYANG COUNTY HENGSHUI CITY HEBEI CHINA

PHONE NUMBER :86-18631889222

EMAIL :BOB@WIREMESHFENCE.COM

WEBSITE :WWW.WIREMESHFENCE.COM

## **SMART-ROBUST 2.50MM AS4687-2007 PRIMER STANDARD AS/NZS3750.15**

Surface treatment:	Pre-Galvanized
Zinc thickness:	14 microns zinc Equal to 100 gram/SQM
Outer frame:	<b>OD40mm x 1.60mm Wall Thick</b>
Opening size:	60mm x 150mm*2.5MM WIRE DIAMETER
Welded points:	360 degrees full welded.
Panels Dimension	H2100mm*W2400mm
Clamp	4.00mm wall thick 1 pair 42 microns hdg minimum
Base	600x220x130mm inside fill concrete 5 year No color fading
<b>40HC CONTAINER LOADING 452 SET</b>	<b>1 PIECES TEMPORARY FENCE PANEL +1PIECES TEMPORARY FENCE CLAMP +1 PIECES TEMPORARY FENCE BASE</b>
1 PIECES TEMPORARY FENCE PANEL	18.68USD/PCS OR 25.28AUD/PCS
1 PIECES TEMPORARY FENCE BASE	7.12USD/PCS OR 9.68AUD/PCS
1 PIECES TEMPORARY FENCE CLAMP	0.68USD/PAIR OR 0.918UD/PCS



# TOP FENCE CO. LTD

ADDRESS : POSTCODE 053600 A-001 HUAFU INDUSTRY ZONE RAOYANG COUNTY HENGSHUI CITY HEBEI CHINA

PHONE NUMBER :86-18631889222

EMAIL :BOB@WIREMESHFENCE.COM

WEBSITE :WWW.WIREMESHFENCE.COM

## **SMARTEST- 2.50MM AS4687-2007 PRIMER STANDARD AS/NZS3750.15**

Surface treatment:	Pre-Galvanized
Zinc thickness:	14 microns zinc Equal to 100 gram/SQM
Outer frame:	<b>OD32mm x 1.20mm Wall Thick</b>
Opening size:	60mm x 150mm*2.5MM WIRE DIAMETER
Welded points:	360 degrees full welded.
Panels Dimension	H2100mm*W2400mm
Clamp	4.00mm wall thick 1 pair 42 microns hdg minimum
Base	600x220x130mm inside fill concrete 5 year No color fading
40HC CONTAINER LOADING 540 SET	1 PIECES TEMPORARY FENCE PANEL +1PIECES TEMPORARY FENCE CLAMP +1 PIECES TEMPORARY FENCE BASE
1 PIECES TEMPORARY FENCE PANEL	13.88SD/PCS OR 18.78AUD/PCS
1 PIECES TEMPORARY FENCE BASE	7.12USD/PCS OR 9.68AUD/PCS
1 PIECES TEMPORARY FENCE CLAMP	0.68USD/PAIR OR 0.918UD/PCS



# TOP FENCE CO. LTD

ADDRESS : POSTCODE 053600 A-001 HUAFU INDUSTRY ZONE RAOYANG COUNTY HENGSHUI CITY HEBEI CHINA

PHONE NUMBER :86-18631889222

EMAIL :BOB@WIREMESHFENCE.COM

WEBSITE :WWW.WIREMESHFENCE.COM

## **SMART- 3.00MM AS4687-2007 PRIMER STANDARD AS/NZS3750.15**

Surface treatment:	Pre-Galvanized
Zinc thickness:	14 microns zinc Equal to 100 gram/SQM
Outer frame:	<b>OD32mm x 1.40mm Wall Thick</b>
Opening size:	60mm x 150mm*3.0MM WIRE DIAMETER
Welded points:	360 degrees full welded.
Panels Dimension	H2100mm*W2400mm
Clamp	4.00mm wall thick 1 pair 42 microns hdg minimum
Base	600x220x130mm inside fill concrete 5 year No color fading
40HC CONTAINER LOADING 540 SET	1 PIECES TEMPORARY FENCE PANEL +1PIECES TEMPORARY FENCE CLAMP +1 PIECES TEMPORARY FENCE BASE
1 PIECES TEMPORARY FENCE PANEL	15.88USD/PCS OR 21.48AUD/PCS
1 PIECES TEMPORARY FENCE BASE	7.12USD/PCS OR 9.68AUD/PCS
1 PIECES TEMPORARY FENCE CLAMP	0.68USD/PAIR OR 0.918UD/PCS



# TOP FENCE CO. LTD

ADDRESS : POSTCODE 053600 A-001 HUAFU INDUSTRY ZONE RAOYANG COUNTY HENGSHUI CITY HEBEI CHINA

PHONE NUMBER :86-18631889222

EMAIL :BOB@WIREMESHFENCE.COM

WEBSITE :WWW.WIREMESHFENCE.COM

## **BUDGET 3.50MM AS4687-2007 PRIMER STANDARD AS/NZS3750.15**

Surface treatment:	Pre-Galvanized
Zinc thickness:	14 microns zinc Equal to 100 gram/SQM
Outer frame:	<b>OD32mm x 1.50mm Wall Thick</b>
Opening size:	60mm x 150mm*3.5MM WIRE DIAMETER
Welded points:	360 degrees full welded.
Panels Dimension	H2100mm*W2400mm
Clamp	4.00mm wall thick 1 pair 42 microns hdg minimum
Base	600x220x130mm inside fill concrete 5 year No color fading
40HC CONTAINER LOADING 540 SET	1 PIECES TEMPORARY FENCE PANEL +1PIECES TEMPORARY FENCE CLAMP +1 PIECES TEMPORARY FENCE BASE
1 PIECES TEMPORARY FENCE PANEL	17.08USD/PCS OR 23.18AUD/PCS
1 PIECES TEMPORARY FENCE BASE	7.12USD/PCS OR 9.68AUD/PCS
1 PIECES TEMPORARY FENCE CLAMP	0.68USD/PAIR OR 0.918UD/PCS



# TOP FENCE CO. LTD

ADDRESS : POSTCODE 053600 A-001 HUAFU INDUSTRY ZONE RAOYANG COUNTY HENGSHUI CITY HEBEI CHINA

PHONE NUMBER :86-18631889222

EMAIL :BOB@WIREMESHFENCE.COM

WEBSITE :WWW.WIREMESHFENCE.COM

## **HUMAN HEART 3.80MM AS4687-2007 PRIMER STANDARD AS/NZS3750.15**

Surface treatment:	Pre-Galvanized
Zinc thickness:	14 microns zinc Equal to 100 gram/SQM
Outer frame:	<b>OD32mm x 1.80mm Wall Thick</b>
Opening size:	60mm x 150mm*3.8MM WIRE DIAMETER
Welded points:	360 degrees full welded.
Panels Dimension	H2100mm*W2400mm
Clamp	4.00mm wall thick 1 pair 42 microns hdg minimum
Base	600x220x130mm inside fill concrete 5 year No color fading
40HC CONTAINER LOADING 540 SET	1 PIECES TEMPORARY FENCE PANEL +1PIECES TEMPORARY FENCE CLAMP +1 PIECES TEMPORARY FENCE BASE
1 PIECES TEMPORARY FENCE PANEL	19.88USD/PCS OR 26.88AUD/PCS
1 PIECES TEMPORARY FENCE BASE	7.12USD/PCS OR 9.68AUD/PCS
1 PIECES TEMPORARY FENCE CLAMP	0.68USD/PAIR OR 0.918UD/PCS



# TOP FENCE CO. LTD

ADDRESS : POSTCODE 053600 A-001 HUAFU INDUSTRY ZONE RAOYANG COUNTY HENGSHUI CITY HEBEI CHINA

PHONE NUMBER :86-18631889222

EMAIL :BOB@WIREMESHFENCE.COM

WEBSITE :WWW.WIREMESHFENCE.COM

## **HIGH ZINC HUMAN HEART 3.80MM AS4687-2007 PRIMER STANDARD AS/NZS3750.15**

Surface treatment:	Pre-Galvanized
Zinc thickness:	<b>42 microns zinc Equal to 300 gram/SQM</b>
Outer frame:	<b>OD32mm x 1.80mm Wall Thick</b>
Opening size:	60mm x 150mm*3.8MM WIRE DIAMETER
Welded points:	360 degrees full welded.
Panels Dimension	H2100mm*W2400mm
Clamp	4.00mm wall thick 1 pair 42 microns hdg minimum
Base	600x220x130mm inside fill concrete 5 year No color fading
40HC CONTAINER LOADING 540 SET	1 PIECES TEMPORARY FENCE PANEL +1PIECES TEMPORARY FENCE CLAMP +1 PIECES TEMPORARY FENCE BASE
1 PIECES TEMPORARY FENCE PANEL	21.78USD/PCS OR 29.48AUD/PCS
1 PIECES TEMPORARY FENCE BASE	7.12USD/PCS OR 9.68AUD/PCS
1 PIECES TEMPORARY FENCE CLAMP	0.68USD/PAIR OR 0.918UD/PCS



# TOP FENCE CO. LTD

ADDRESS : POSTCODE 053600 A-001 HUAFU INDUSTRY ZONE RAOYANG COUNTY HENGSHUI CITY HEBEI CHINA

PHONE NUMBER :86-18631889222

EMAIL :BOB@WIREMESHFENCE.COM

WEBSITE :WWW.WIREMESHFENCE.COM

## **STANDARD 4.00MM AS4687-2007 PRIMER STANDARD AS/NZS3750.15**

Surface treatment:	Pre-Galvanized
Zinc thickness:	<b>14 microns zinc Equal to 100 gram/SQM</b>
Outer frame:	<b>OD32mm x2.00mm Wall Thick</b>
Opening size:	60mm x 150mm*4.00MM WIRE DIAMETER
Welded points:	360 degrees full welded.
Panels Dimension	H2100mm*W2400mm
Clamp	4.00mm wall thick 1 pair 42 microns hdg minimum
Base	600x220x130mm inside fill concrete 5 year No color fading
40HC CONTAINER LOADING 540 SET	1 PIECES TEMPORARY FENCE PANEL +1PIECES TEMPORARY FENCE CLAMP +1 PIECES TEMPORARY FENCE BASE
1 PIECES TEMPORARY FENCE PANEL	21.38USD/PCS OR 28.88AUD/PCS
1 PIECES TEMPORARY FENCE BASE	7.12USD/PCS OR 9.68AUD/PCS
1 PIECES TEMPORARY FENCE CLAMP	0.68USD/PAIR OR 0.918AUD/PCS





# TOP FENCE CO. LTD

ADDRESS : POSTCODE 053600 A-001 HUAFU INDUSTRY ZONE RAOYANG COUNTY HENGSHUI CITY HEBEI CHINA

PHONE NUMBER :86-18631889222

EMAIL :BOB@WIREMESHFENCE.COM

WEBSITE :WWW.WIREMESHFENCE.COM

## **HIGH ZINC STANDARD 4.00MM AS4687-2007 PRIMER STANDARD AS/NZS3750.15**

Surface treatment:	Pre-Galvanized
Zinc thickness:	<b>42 microns zinc Equal to 300 gram/SQM</b>
Outer frame:	<b>OD32mm x2.00mm Wall Thick</b>
Opening size:	60mm x 150mm*4.00MM WIRE DIAMETER
Welded points:	360 degrees full welded.
Panels Dimension	H2100mm*W2400mm
Clamp	4.00mm wall thick 1 pair 42 microns hdg minimum
Base	600x220x130mm inside fill concrete 5 year No color fading
40HC CONTAINER LOADING 540 SET	1 PIECES TEMPORARY FENCE PANEL +1PIECES TEMPORARY FENCE CLAMP +1 PIECES TEMPORARY FENCE BASE
1 PIECES TEMPORARY FENCE PANEL	23.48USD/PCS OR 31.78AUD/PCS
1 PIECES TEMPORARY FENCE BASE	7.12USD/PCS OR 9.68AUD/PCS
1 PIECES TEMPORARY FENCE CLAMP	0.68USD/PAIR OR 0.918AUD/PCS



# TOP FENCE CO.LTD

ADDRESS : POSTCODE 053600 A-001 HUAFU INDUSTRY ZONE RAOYANG COUNTY HENGSHUI CITY HEBEI CHINA

PHONE NUMBER :86-18631889222

EMAIL :BOB@WIREMESHFENCE.COM

WEBSITE :WWW.WIREMESHFENCE.COM

Payment Terms	TT 40% deposit against 60% balance see finished products pictures
Packing	Metal Pallet wrapped with plastic
Productions Time	14 days
Shipping Term	Ocean
Validity	3 days
Quoted date	2018.8.8
Sample Delivering	All Sample are Free but Buyer pay freight cost